
APPENDIX B

Laboratory Reports for Water Quality Sampling

CERTIFICATE OF ANALYSIS

Aquatic Control Technology
11 John Road
Sutton, MA 01590-2509

Date Reported: 8/22/01
Sample ID: 9932-00493
Date Received: 8/14/01
Sampled by: K GAZAILLE

PARAMETERS	RESULTS	DATE	TECH	METHOD
WP-01-02 - 8/10/01				
pH	6.38 S.U.	8/15/01	KD	4500HB
Alkalinity as CaCO ₃	20.2 mg CaCO ₃ /l	8/17/01	KD	2320B
Phosphorous as P	0.023 mg/L	8/16/01	DK	6010
Dissolved Phosphorus	<0.010 mg/l	8/20/01	VM	200.7
PP-02 - 8/10/01				
pH	6.80 S.U.	8/15/01	KD	4500HB
Alkalinity as CaCO ₃	18.1 mg CaCO ₃ /l	8/17/01	KD	2320B
Phosphorous as P	0.028 mg/L	8/16/01	DK	6010
Dissolved Phosphorus	<0.010 mg/l	8/20/01	VM	200.7
SP-03-13 - 8/10/01				
pH	6.44 S.U.	8/15/01	KD	4500HB
Alkalinity as CaCO ₃	16.7 mg CaCO ₃ /l	8/17/01	KD	2320B
Phosphorous as P	0.018 mg/L	8/16/01	DK	6010
Dissolved Phosphorus	<0.010 mg/l	8/20/01	VM	200.7
AP-04 - 8/10/01				
pH	6.73 S.U.	8/15/01	KD	4500HB
Alkalinity as CaCO ₃	<10 mg CaCO ₃ /l	8/17/01	KD	2320B
Phosphorous as P	0.026 mg/L	8/16/01	DK	6010
Dissolved Phosphorus	<0.010 mg/l	8/20/01	VM	200.7
ARP-05 - 8/10/01				
pH	6.88 S.U.	8/15/01	KD	4500HB
Alkalinity as CaCO ₃	14.7 mg CaCO ₃ /l	8/17/01	KD	2320B
Phosphorous as P	0.016 mg/L	8/16/01	DK	6010
Dissolved Phosphorus	<0.010 mg/l	8/20/01	VM	200.7

*** Certificate Continues On Next Page ***



® Microbac Laboratories, Inc.

MASSACHUSETTS DIVISION
181 Cedar Hill Street
Marlborough, MA 01752
(508) 460-7600 phone

http://www.microbac.com

CHEMISTRY • MICROBIOLOGY • FOOD SAFETY • CONSUMER PRODUCTS
WATER • AIR • WASTES • FOOD • PHARMACEUTICALS • NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

Aquatic Control Technology
11 John Road
Sutton, MA 01590-2509

Date Reported: 8/22/01
Sample ID: 9932-00493
Date Received: 8/14/01
Sampled by: K GAZAILLE

Table with 5 columns: PARAMETERS, RESULTS, DATE, TECH, METHOD. Rows include pH, Alkalinity as CaCO3, Phosphorous as P, and Dissolved Phosphorus.

This document has been reviewed and is electronically signed by:

Christopher P. Solan
Managing Director



CERTIFICATE OF ANALYSIS

AQUATIC CONTROL TECHNOLOGY
11 JOHN ROAD
SUTTON, MA 01590-2509

Date Reported: 11/02/01
Sample ID: 9934-00923
Date Received: 10/26/01
Sampled by: CUSTOMER

PARAMETERS	RESULTS	DATE	TECH	METHOD
WP-01-02 10/26/01				
pH	6.75 S.U.	10/29/01	HL	4500HB
Alkalinity as CaCO ₃	21.7 mg CaCO ₃ /l	10/30/01	HL	2320B
Dissolved Phosphorus	<0.010 mg/l	10/31/01	DK	200.7
Phosphorous as P	<0.010 mg/L	10/30/01	DK	6010
PP-02 10/26/01				
pH	7.00 S.U.	10/29/01	HL	4500HB
Alkalinity as CaCO ₃	24.7 mg CaCO ₃ /l	10/30/01	HL	2320B
Dissolved Phosphorus	0.011 mg/l	10/31/01	DK	200.7
Phosphorous as P	<0.010 mg/L	10/30/01	DK	6010
SP-03-13 10/26/01				
pH	6.67 S.U.	10/29/01	HL	4500HB
Alkalinity as CaCO ₃	28.4 mg CaCO ₃ /l	10/30/01	HL	2320B
Dissolved Phosphorus	0.012 mg/l	10/31/01	DK	200.7
Phosphorous as P	0.018 mg/L	10/30/01	DK	6010
AP-04 10/26/01				
pH	6.88 S.U.	10/29/01	HL	4500HB
Alkalinity as CaCO ₃	13.7 mg CaCO ₃ /l	10/30/01	HL	2320B
Dissolved Phosphorus	<0.010 mg/l	10/31/01	DK	200.7
Phosphorous as P	0.011 mg/L	10/30/01	DK	6010
ARP-05 10/26/01				
pH	6.71 S.U.	10/29/01	HL	4500HB
Alkalinity as CaCO ₃	13.5 mg CaCO ₃ /l	10/30/01	HL	2320B
Dissolved Phosphorus	<0.010 mg/l	10/31/01	DK	200.7
Phosphorous as P	<0.010 mg/L	10/30/01	DK	6010

*** Certificate Continues On Next Page ***



® **Microbac Laboratories, Inc.**

MASSACHUSETTS DIVISION
181 Cedar Hill Street
Marlborough, MA 01752
(508) 460-7600 phone

Page 2 of 2

<http://www.microbac.com>

CHEMISTRY • MICROBIOLOGY • FOOD SAFETY • CONSUMER PRODUCTS
WATER • AIR • WASTES • FOOD • PHARMACEUTICALS • NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

AQUATIC CONTROL TECHNOLOGY
11 JOHN ROAD
SUTTON, MA 01590-2509

Date Reported: 11/02/01
Sample ID: 9934-00923
Date Received: 10/26/01
Sampled by: CUSTOMER

PARAMETERS	RESULTS	DATE	TECH	METHOD
TFP-06-12 10/26/01				
pH	6.67 S.U.	10/29/01	HL	4500HB
Alkalinity as CaCO ₃	18.5 mg CaCO ₃ /l	10/30/01	HL	2320B
Dissolved Phosphorus	<0.010 mg/l	10/31/01	DK	200.7
Phosphorous as P	<0.010 mg/L	10/30/01	DK	6010

This document has been reviewed and is electronically signed by:

Christopher P. Solan
Managing Director

<http://www.microbac.com>

CHEMISTRY • MICROBIOLOGY • FOOD SAFETY • CONSUMER PRODUCTS
WATER • AIR • WASTES • FOOD • PHARMACEUTICALS • NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

AQUATIC CONTROL TECHNOLOGY
11 JOHN ROAD
SUTTON, MA 01590-2509

Date Reported: 4/02/02
Sample ID: 9939-00578
Date Received: 3/18/02
Sampled by: KG

PARAMETERS	RESULTS	DATE	TECH	METHOD
WELSH POND: WP-01-02				
pH	6.69 S.U.	3/20/02	HL	4500HB
Alkalinity as CaCO ₃	11.3 mg CaCO ₃ /l	3/25/02	HL	2320B
Phosphorous as P	0.028 mg/L	3/21/02	DK	EPA 6010
Dissolved Phosphorus	0.014 mg/L	3/28/02	DK	EPA 200.7
PUTNAM POND: PP-02				
pH	6.67 S.U.	3/20/02	HL	4500HB
Alkalinity as CaCO ₃	11.8 mg CaCO ₃ /l	3/25/02	HL	2320B
Phosphorous as P	0.017 mg/L	3/21/02	DK	EPA 6010
Dissolved Phosphorus	<0.010 mg/L	3/28/02	DK	EPA 200.7
SCHOOLHOUSE POND: SP-03-13				
pH	6.70 S.U.	3/20/02	HL	4500HB
Alkalinity as CaCO ₃	12.1 mg CaCO ₃ /l	3/25/02	HL	2320B
Phosphorous as P	0.011 mg/L	3/21/02	DK	EPA 6010
Dissolved Phosphorus	<0.010 mg/L	3/28/02	DK	EPA 200.7
ADAMS POND: AP-04				
pH	6.81 S.U.	3/20/02	HL	4500HB
Alkalinity as CaCO ₃	10.2 mg CaCO ₃ /l	3/25/02	HL	2320B
Phosphorous as P	0.012 mg/L	3/21/02	DK	EPA 6010
Dissolved Phosphorus	<0.010 mg/L	3/28/02	DK	EPA 200.7
ARNOLD POND: ARP-05				
pH	6.80 S.U.	3/20/02	HL	4500HB
Alkalinity as CaCO ₃	<10 mg CaCO ₃ /l	3/25/02	HL	2320B
Phosphorous as P	0.010 mg/L	3/21/02	DK	EPA 6010
Dissolved Phosphorus	<0.010 mg/L	3/28/02	DK	EPA 200.7

*** Certificate Continues On Next Page ***



® Microbac Laboratories, Inc.

MASSACHUSETTS DIVISION
181 Cedar Hill Street
Marlborough, MA 01752
(508) 460-7600 phone

Page 2 of 2

<http://www.microbac.com>

CHEMISTRY • MICROBIOLOGY • FOOD SAFETY • CONSUMER PRODUCTS
WATER • AIR • WASTES • FOOD • PHARMACEUTICALS • NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

AQUATIC CONTROL TECHNOLOGY
11 JOHN ROAD
SUTTON, MA 01590-2509

Date Reported: 4/02/02
Sample ID: 9939-00578
Date Received: 3/18/02
Sampled by: KG

PARAMETERS	RESULTS	DATE	TECH	METHOD
TOWN FARM POND: TFP-06-12				
pH	6.91 S.U.	3/20/02	HL	4500HB
Alkalinity as CaCO3	10.8 mg CaCO3/l	3/25/02	HL	2320B
Phosphorous as P	<0.010 mg/L	3/21/02	DK	EPA 6010
Dissolved Phosphorus	<0.010 mg/L	3/28/02	DK	EPA 200.7

This document has been reviewed and is electronically signed by:

Dan Ste. Marie
Managing Director

<http://www.microbac.com>

CHEMISTRY • MICROBIOLOGY • FOOD SAFETY • CONSUMER PRODUCTS
WATER • AIR • WASTES • FOOD • PHARMACEUTICALS • NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

AQUATIC CONTROL TECHNOLOGY
11 JOHN ROAD
SUTTON, MA 01590-2509

Date Reported: 4/30/02
Sample ID: 9940-00653
Date Received: 4/18/02
Sampled by: K.G.

PARAMETERS	RESULTS	DATE	TECH	METHOD
WP-01-02: 4/18/02				
pH	6.65 S.U.	4/19/02	HL	SM-4500-H-B
Alkalinity as CaCO ₃	15.6 mg CaCO ₃ /l	4/25/02	HL	SM 2320B
Phosphorous as P	0.020 mg/L	4/19/02	DK	EPA 6010
Dissolved Phosphorus	<0.010 mg/L	4/26/02	DK	EPA 200.7
PP-02: 4/18/02				
pH	6.60 S.U.	4/19/02	HL	SM-4500-H-B
Alkalinity as CaCO ₃	15.2 mg CaCO ₃ /l	4/25/02	HL	SM 2320B
Phosphorous as P	0.017 mg/L	4/19/02	DK	EPA 6010
Dissolved Phosphorus	<0.010 mg/L	4/26/02	DK	EPA 200.7
SP-03-13: 4/18/02				
pH	6.62 S.U.	4/19/02	HL	SM-4500-H-B
Alkalinity as CaCO ₃	14.3 mg CaCO ₃ /l	4/25/02	HL	SM 2320B
Phosphorous as P	0.011 mg/L	4/19/02	DK	EPA 6010
Dissolved Phosphorus	<0.010 mg/L	4/26/02	DK	EPA 200.7
AP-04: 4/18/02				
pH	6.78 S.U.	4/19/02	HL	SM-4500-H-B
Alkalinity as CaCO ₃	10.4 mg CaCO ₃ /l	4/25/02	HL	SM 2320B
Phosphorous as P	<0.010 mg/L	4/19/02	DK	EPA 6010
Dissolved Phosphorus	<0.010 mg/L	4/26/02	DK	EPA 200.7
ARP-05: 4/18/02				
pH	6.85 S.U.	4/19/02	HL	SM-4500-H-B
Alkalinity as CaCO ₃	10.9 mg CaCO ₃ /l	4/25/02	HL	SM 2320B
Phosphorous as P	<0.010 mg/L	4/19/02	DK	EPA 6010
Dissolved Phosphorus	<0.010 mg/L	4/26/02	DK	EPA 200.7

*** Certificate Continues On Next Page ***

<http://www.microbac.com>

CHEMISTRY • MICROBIOLOGY • FOOD SAFETY • CONSUMER PRODUCTS
WATER • AIR • WASTES • FOOD • PHARMACEUTICALS • NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

AQUATIC CONTROL TECHNOLOGY
11 JOHN ROAD
SUTTON, MA 01590-2509

Date Reported: 4/30/02
Sample ID: 9940-00653
Date Received: 4/18/02
Sampled by: K.G.

PARAMETERS	RESULTS	DATE	TECH	METHOD
TFP-06-12: 4/18/02				
pH	7.03 S.U.	4/19/02	HL	SM-4500-H-B
Alkalinity as CaCO ₃	12.3 mg CaCO ₃ /l	4/25/02	HL	SM 2320B
Phosphorous as P	<0.010 mg/L	4/19/02	DK	EPA 6010
Dissolved Phosphorus	<0.010 mg/L	4/26/02	DK	EPA 200.7

This document has been reviewed and is electronically signed by:

Dan Ste. Marie
Managing Director

CERTIFICATE OF ANALYSIS

AQUATIC CONTROL TECHNOLOGY
11 JOHN ROAD
SUTTON, MA 01590-2509

Date Reported: 5/13/02
Sample ID: 9941-00141
Date Received: 5/02/02
Sampled by: K.G.

PARAMETERS	RESULTS	DATE	TECH	METHOD
WP-01-02 - 4/30/02				
pH	6.77 S.U.	5/03/02	HL	SM-4500-H-B
Alkalinity as CaCO3	13.7 mg CaCO3/l	5/07/02	HL	SM 2320B
Dissolved Phosphorus	0.012 mg/L	5/09/02	DK	EPA 200.7
Phosphorous as P	<0.010 mg/L	5/08/02	DK	EPA 6010
PP-02 - 4/30/02				
pH	6.58 S.U.	5/03/02	HL	SM-4500-H-B
Alkalinity as CaCO3	11.8 mg CaCO3/l	5/07/02	HL	SM 2320B
Dissolved Phosphorus	<0.010 mg/L	5/09/02	DK	EPA 200.7
Phosphorous as P	<0.010 mg/L	5/08/02	DK	EPA 6010
SP-03-13 - 4/30/02				
pH	6.67 S.U.	5/03/02	HL	SM-4500-H-B
Alkalinity as CaCO3	11.7 mg CaCO3/l	5/07/02	HL	SM 2320B
Dissolved Phosphorus	<0.010 mg/L	5/09/02	DK	EPA 200.7
Phosphorous as P	<0.010 mg/L	5/08/02	DK	EPA 6010
AP-04 - 4/30/02				
pH	6.81 S.U.	5/03/02	HL	SM-4500-H-B
Alkalinity as CaCO3	11.4 mg CaCO3/l	5/07/02	HL	SM 2320B
Dissolved Phosphorus	<0.010 mg/L	5/09/02	DK	EPA 200.7
Phosphorous as P	<0.010 mg/L	5/08/02	DK	EPA 6010
ARP-05 - 4/30/02				
pH	6.67 S.U.	5/03/02	HL	SM-4500-H-B
Alkalinity as CaCO3	13.0 mg CaCO3/l	5/07/02	HL	SM 2320B
Dissolved Phosphorus	<0.010 mg/L	5/09/02	DK	EPA 200.7
Phosphorous as P	0.014 mg/L	5/08/02	DK	EPA 6010

*** Certificate Continues On Next Page ***



® Microbac Laboratories, Inc.

MASSACHUSETTS DIVISION
181 Cedar Hill Street
Marlborough, MA 01752
(508) 460-7600 phone

Page 2 of 2

<http://www.microbac.com>

CHEMISTRY • MICROBIOLOGY • FOOD SAFETY • CONSUMER PRODUCTS
WATER • AIR • WASTES • FOOD • PHARMACEUTICALS • NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

AQUATIC CONTROL TECHNOLOGY
11 JOHN ROAD
SUTTON, MA 01590-2509

Date Reported: 5/13/02
Sample ID: 9941-00141
Date Received: 5/02/02
Sampled by: K.G.

PARAMETERS	RESULTS	DATE	TECH	METHOD
TFP-06-12 - 4/30/02				
pH	7.01 S.U.	5/03/02	HL	SM-4500-H-B
Alkalinity as CaCO3	12.2 mg CaCO3/l	5/07/02	HL	SM 2320B
Dissolved Phosphorus	<0.010 mg/L	5/09/02	DK	EPA 200.7
Phosphorous as P	<0.010 mg/L	5/08/02	DK	EPA 6010

This document has been reviewed and is electronically signed by:

Dan Ste. Marie
Managing Director

<http://www.microbac.com>

CHEMISTRY • MICROBIOLOGY • FOOD SAFETY • CONSUMER PRODUCTS
WATER • AIR • WASTES • FOOD • PHARMACEUTICALS • NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

AQUATIC CONTROL TECHNOLOGY
11 JOHN ROAD
SUTTON, MA 01590-2509


Date Reported: 6/07/02
Sample ID: 9941-00956
Date Received: 5/21/02
Sampled by:

PARAMETERS	RESULTS	DATE	TECH	METHOD
AP-04 PRE-STORM				
pH	6.88 S.U.	5/21/02	ES	SM-4500-H-B
Alkalinity as CaCO3	12.7 mg CaCO3/l	5/30/02	KD	SM 2320B
Phosphorous as P	0.011 mg/L	6/03/02	DK	EPA 6010
Dissolved Phosphorus	<0.010 mg/L	5/30/02	DK	EPA 200.7
AP-04 1ST FLUSH				
pH	6.68 S.U.	5/21/02	ES	SM-4500-H-B
Alkalinity as CaCO3	11.1 mg CaCO3/l	5/30/02	KD	SM 2320B
Phosphorous as P	0.017 mg/L	6/03/02	DK	EPA 6010
Dissolved Phosphorus	<0.010 mg/L	5/30/02	DK	EPA 200.7
AP-04 POST-STORM				
pH	6.73 S.U.	5/21/02	ES	SM-4500-H-B
Alkalinity as CaCO3	12.3 mg CaCO3/l	5/30/02	KD	SM 2320B
Phosphorous as P	0.012 mg/L	6/03/02	DK	EPA 6010
Dissolved Phosphorus	<0.010 mg/L	5/30/02	DK	EPA 200.7
WP-01-02 PRE-STORM				
pH	6.69 S.U.	5/21/02	ES	SM-4500-H-B
Alkalinity as CaCO3	14.5 mg CaCO3/l	5/30/02	KD	SM 2320B
Phosphorous as P	0.020 mg/L	6/03/02	DK	EPA 6010
Dissolved Phosphorus	<0.010 mg/L	5/30/02	DK	EPA 200.7
WP-01-02 1ST FLUSH				
pH	6.64 S.U.	5/21/02	ES	SM-4500-H-B
Alkalinity as CaCO3	14.6 mg CaCO3/l	5/30/02	KD	SM 2320B
Phosphorous as P	0.026 mg/L	6/03/02	DK	EPA 6010
Dissolved Phosphorus	0.020 mg/L	5/30/02	DK	EPA 200.7

*** Certificate Continues On Next Page ***

The data and other information contained on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon the condition that it is not to be reproduced wholly or in part for advertising or other purposes without written approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



® Microbac Laboratories, Inc.

MASSACHUSETTS DIVISION
181 Cedar Hill Street
Marlborough, MA 01752
(508) 460-7600 phone

http://www.microbac.com

CHEMISTRY • MICROBIOLOGY • FOOD SAFETY • CONSUMER PRODUCTS
WATER • AIR • WASTES • FOOD • PHARMACEUTICALS • NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

AQUATIC CONTROL TECHNOLOGY
11 JOHN ROAD
SUTTON, MA 01590-2509

Date Reported: 6/07/02
Sample ID: 9941-00956
Date Received: 5/21/02
Sampled by:

Table with 5 columns: PARAMETERS, RESULTS, DATE, TECH, METHOD. Rows include pH, Alkalinity as CaCO3, Phosphorous as P, and Dissolved Phosphorus.

This document has been reviewed and is electronically signed by:

Dan Ste. Marie
Managing Director



<http://www.microbac.com>

CHEMISTRY • MICROBIOLOGY • FOOD SAFETY • CONSUMER PRODUCTS
WATER • AIR • WASTES • FOOD • PHARMACEUTICALS • NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

AQUATIC CONTROL TECHNOLOGY
11 JOHN ROAD
SUTTON, MA 01590-2509

Date Reported: 4/05/02
Sample ID: 9939-00954
Date Received: 3/28/02
Sampled by: K.G.

PARAMETERS	RESULTS	DATE	TECH	METHOD
WELSH POND (PRE STORM) - WP-01-02				
pH	6.67 S.U.	3/28/02	HL	4500HB
Alkalinity as CaCO ₃	10.5 mg CaCO ₃ /l	4/03/02	HL	2320B
Phosphorous as P	<0.010 mg/L	4/02/02	DK	EPA 6010
Dissolved Phosphorus	<0.010 mg/L	4/03/02	DK	EPA 200.7
WELSH POND (FIRST FLUSH) - WP-01-02				
pH	6.64 S.U.	3/28/02	HL	4500HB
Alkalinity as CaCO ₃	10.2 mg CaCO ₃ /l	4/03/02	HL	2320B
Phosphorous as P	0.011 mg/L	4/02/02	DK	EPA 6010
Dissolved Phosphorus	<0.010 mg/L	4/03/02	DK	EPA 200.7
WELSH POND (POST STORM) - WP-01-02				
pH	6.62 S.U.	3/28/02	HL	4500HB
Alkalinity as CaCO ₃	10.6 mg CaCO ₃ /l	4/03/02	HL	2320B
Phosphorous as P	<0.010 mg/L	4/02/02	DK	EPA 6010
Dissolved Phosphorus	<0.010 mg/L	4/03/02	DK	EPA 200.7
ADAMS POND (PRE STORM) - AP-01-04				
pH	6.79 S.U.	3/28/02	HL	4500HB
Alkalinity as CaCO ₃	10.7 mg CaCO ₃ /l	4/03/02	HL	2320B
Phosphorous as P	<0.010 mg/L	4/02/02	DK	EPA 6010
Dissolved Phosphorus	<0.010 mg/L	4/03/02	DK	EPA 200.7
ADAMS POND (FIRST STORM) - AP-04				
pH	6.64 S.U.	3/28/02	HL	4500HB
Alkalinity as CaCO ₃	10.0 mg CaCO ₃ /l	4/03/02	HL	2320B
Phosphorous as P	<0.010 mg/L	4/02/02	DK	EPA 6010
Dissolved Phosphorus	<0.010 mg/L	4/03/02	DK	EPA 200.7

*** Certificate Continues On Next Page ***



Microbac

® **Microbac Laboratories, Inc.**

MASSACHUSETTS DIVISION
181 Cedar Hill Street
Marlborough, MA 01752
(508) 460-7600 phone

Page 2 of 2

<http://www.microbac.com>

CHEMISTRY • MICROBIOLOGY • FOOD SAFETY • CONSUMER PRODUCTS
WATER • AIR • WASTES • FOOD • PHARMACEUTICALS • NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

AQUATIC CONTROL TECHNOLOGY
11 JOHN ROAD
SUTTON, MA 01590-2509

Date Reported: 4/05/02
Sample ID: 9939-00954
Date Received: 3/28/02
Sampled by: K.G.

PARAMETERS	RESULTS	DATE	TECH	METHOD
ADAMS POND (POST STORM) - AP-04				
pH	6.78 S.U.	3/28/02	HL	4500HB
Alkalinity as CaCO ₃	10.0 mg CaCO ₃ /l	4/03/02	HL	2320B
Phosphorous as P	<0.010 mg/L	4/02/02	DK	EPA 6010
Dissolved Phosphorus	<0.010 mg/L	4/03/02	DK	EPA 200.7

This document has been reviewed and is electronically signed by:

Dan Ste. Marie
Managing Director